


Light Source Test Report



CIE Color Parameters:

Chromaticity Coordinate: x=0.4639 y=0.4167/u'=0.2624 v'=0.5303(duv=1.91e-003)

CCT:Tc= 2692K Prcp WaveL: $\bar{\lambda}$ =583.7nm Purity=64.3%

Peak WaveL: λ =610nm Half Width: $\Delta\lambda$ 126.1nm Ratio:R=24.8% G=73.3% B=1.9%

Average Wave: 599nm

Rendering Index:Ra=81.6

R1 =79 R2 =88 R3 =97 R4 =80 R5 =79 R6 =86 R7 =84 R8 =60
R9 =10 R10=74 R11=78 R12=71 R13=81 R14=98 R15=72

Photo Parameters:

Flux: Φ =505.71(lm) Luminous Efficacy: 51.71(lm/W) Radiant Power:P=1.590(W)

Electrical Parameters:

U=230.1V I=0.0553A P=9.780W PF=0.768

Instrument Status:

Scan Range:380.0nm-800.0nm
REF = 14232

Interval:5.0nm
% = -1.303%

Ip = 27787(G=5,D=52)
TMP(PMT) = 17.0(deg.celsius)

Product Type:NAR111
Instrument:PMS-50 System
Temperature:0.0deg
Test Operator:shun

Manufacturer:EVERFINE
Test Department:EVERFINE
Humidity:65.0%
Test Date:2016-02-19 09:05