




Series-A

Picture and size	Series-A, 63.5 (mm)								
	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
 φ78 x 48.5 (mm)	LLC-CA-527230-23	Ø70(mm)	WARM WHITE	2700	450 lm	23°	100-240 VAC	5W	€ 33,00
	LLC-CA-540230-23		PURE	4000	460 lm	23°			
	LLC-CA-560230-23		COOL WHITE	6000	470 lm	23°			
 φ94 x 53 (mm)	Series-A, 76.2 (mm) (Remark: Please complete part.nr. With * of beam angle)								
	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-CA-727230-*	Ø81(mm)	WARM WHITE	2700	625 lm	17°/38°/58°	200-240 VAC	7W	€ 38,00
	LLC-CA-740230-*		PURE WHITE	4000	650 lm	17°/38°/58°			
LLC-CA-760230-*	COOL WHITE		6000	675 lm	17°/38°/58°				
 φ104 x 63 (mm)	Series-A, 89 (mm) (Remark: Please complete part.nr. With * of beam angle)								
	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-CA-1027230-*	Ø89(mm)	WARM WHITE	2700	1005 lm	22.5°/36.5°/56°	100-240 VAC	10W	€ 49,00
	LLC-CA-1040230-*		PURE WHITE	4000	1015 lm	22.5°/36.5°/56°			
LLC-CA-1060230-*	COOL WHITE		6000	1030 lm	22.5°/36.5°/56°				




Series-B

Picture and size	Series-B, 63.5 (mm)								
	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
 φ82 x 49 (mm)	LLC-CB-527230-23	Ø70(mm)	WARM WHITE	2700	450 lm	23°	100-240 VAC	5W	€ 33,00
	LLE-CB-540230-23		PURE WHITE	4000	460 lm	23°			
	LLC-CB-560230-23		COOL WHITE	6000	470 lm	23°			
 φ94 x 54.5 (mm)	Series-B, 76.2 (mm) (Remark: Please complete part.nr. With * of beam angle)								
	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-CB-727230-*	Ø81(mm)	WARM WHITE	2700	625 lm	17°/38°/58°	200-240 VAC	7W	€ 38,00
	LLC-CB-740230-*		PURE	4000	650 lm	17°/38°/58°			
LLC-CB-760230-*	COOL WHITE		6000	675 lm	17°/38°/58°				
 φ104 x 64.5 (mm)	Series-B, 89 (mm) (Remark: Please complete part.nr. With * of beam angle)								
	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-CB-1027230-*	Ø89(mm)	WARM WHITE	2700	1005 lm	22.5°/36.5°/56°	100-240 VAC	10W	€ 49,00
	LLC-CB-1040230-*		PURE WHITE	4000	1015 lm	22.5°/36.5°/56°			
LLC-CB-1060230-*	COOL WHITE		6000	1030 lm	22.5°/36.5°/56°				

Series-C

Series-C, 63.5 (mm)									
Picture and size	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	 φ78 x 48.5 (mm)	LLC-CC-527230-23	Ø70(mm)	WARM WHITE	2700	450 lm	23°	AC100-240	5W
LLC-CC-540230-23		PURE WHITE		4000	460 lm	23°			
LLC-CC-560230-23		COOL WHITE		6000	470 lm	23°			
Series-C, 76.2 (mm) (Remark: Please complete part.nr. With * of beam angle)									
Picture and size	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	 φ94 x 53 (mm)	Ø81(mm)	WARM WHITE	2700	625 lm	17°/38°/58°	AC200-240	7W	€ 38,00
LLC-CC-740230-*			PURE WHITE	4000	650 lm	17°/38°/58°			
LLC-CC-760230-*			COOL WHITE	6000	675 lm	17°/38°/58°			
Series-C, 89 (mm) (Remark: Please complete part.nr. With * of beam angle)									
Picture and size	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	 φ104 x 62.3 (mm)	Ø89(mm)	WARM WHITE	2700	1005 lm	22.5°/36.5°/56°	AC100-240	10W	€ 49,00
LLC-CC-1040230-*			PURE WHITE	4000	1015 lm	22.5°/36.5°/56°			
LLC-CC-1060230-*			COOL WHITE	6000	1030 lm	22.5°/36.5°/56°			



Series-D

Series-C, 63.5 (mm)									
Picture and size (L*W*H)	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	 74 x 74 x 48.5 (mm)	LLC-CD-527230-23	Ø70(mm)	WARM WHITE	2700	450 lm	23°	AC100-240	5W
LLC-CD-540230-23		PURE WHITE		4000	460 lm	23°			
LLC-CD-560230-23		COOL WHITE		6000	470 lm	23°			
Series-C, 76.2 (mm) (Remark: Please complete part.nr. With * of beam angle)									
Picture and size	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	 89 x 89 x 53 (mm)	Ø81(mm)	WARM WHITE	2700	625 lm	17°/38°/58°	AC200-240	7W	€ 38,00
LLC-CD-740230-*			PURE WHITE	4000	650 lm	17°/38°/58°			
LLC-CD-760230-*			COOL WHITE	6000	675 lm	17°/38°/58°			
Series-C, 89 (mm) (Remark: Please complete part.nr. With * of beam angle)									
Picture and size	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	 99 x 99 x 63.3 (mm)	Ø89(mm)	WARM WHITE	2700	1005 lm	22.5°/36.5°/56°	AC100-240	10W	€ 49,00
LLC-CD-1040230-*			PURE WHITE	4000	1015 lm	22.5°/36.5°/56°			
LLC-CD-1060230-*			COOL WHITE	6000	1030 lm	22.5°/36.5°/56°			

SERIES-A





Picture and size (L*W*H)	SERIES-A 1head (Remark: Please complete part.nr. With * of beam angle)								
 93 x 93 x 57(mm)	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-EA1-527230-*	Ø80(mm)	WARM WHITE	2700	385 lm	15° or 45°	100-240 VAC	5W	€ 33,00
	LLC-EA1-540230-*		PURE WHITE	4000	400 lm	15° or 45°			
	LLC-EA1-560230-*		COOL WHITE	6000	425 lm	15° or 45°			
SERIES-A 2head (Remark: Please complete part.nr. With * of beam angle)									
 238 x 118 x 57 (mm)	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-EA2-1027230-*	LxW = 192 x 90 (mm)	WARM WHITE	2700	770 lm	15° or 45°	100-240 VAC	10W	€ 63,00
	LLC-EA2-1040230-*		PURE WHITE	4000	800 lm	15° or 45°			
	LLC-EA2-1060230-*		COOL WHITE	6000	850 lm	15° or 45°			
SERIES-A 3head (Remark: Please complete part.nr. With * of beam angle)									
 357 x 118 x 57 (mm)	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-EA3-1527230-*	LxW = 308 x 90 (mm)	WARM WHITE	2700	1155 lm	15° or 45°	100-240 VAC	15W	€ 83,00
	LLC-EA3-1540230-*		PURE WHITE	4000	1200 lm	15° or 45°			
	LLC-EA3-1560230-*		COOL WHITE	6000	1275 lm	15° or 45°			
SERIES-A 4head (Remark: Please complete part.nr. With * of beam angle)									
 240 x 240 x 57 (mm)	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-EA4-2027230-*	LxW = 205 x 195 (mm)	WARM WHITE	2700	1540 lm	15° or 45°	100-240 VAC	20W	€ 96,00
	LLC-EA4-2040230-*		PURE WHITE	4000	1600 lm	15° or 45°			
	LLC-EA4-2060230-*		COOL WHITE	6000	1700 lm	15° or 45°			

SERIES-B

Picture and size	SERIES-B 1head (Remark: Please complete part.nr. With * of beam angle)								
 φ92 x 57 (mm)	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-EB1-527230-*	Φ80 (mm)	WARM WHITE	2700	385 lm	15° or 45°	AC100~240	5W	€ 33,00
	LLC-EB1-540230-*		PURE WHITE	4000	400 lm	15° or 45°			
	LLC-EB1-560230-*		COOL WHITE	6000	425 lm	15° or 45°			
SERIES-B 2head (Remark: Please complete part.nr. With * of beam angle)									
 244 x 122 x 57 (mm)	Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
	LLC-EB2-1027230-*	LxW = 192 x 90 (mm)	WARM WHITE	2700	770 lm	15° or 45°	AC100~240	10W	€ 63,00
	LLC-EB2-1040230-*		PURE WHITE	4000	800 lm	15° or 45°			
	LLC-EB2-1060230-*		COOL WHITE	6000	850 lm	15° or 45°			

Picture and size		SERIES-B 3head (Remark: Please complete part.nr. With * of beam angle)								
 360 x 122 x 57 (mm)		Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
		LLC-EB3-1527230-*	LxW = 308 x 90 (mm)	WARM WHITE	2700	1155 lm	15° or 45°	100-240 VAC	15W	€ 83,00
		LLC-EB3-1540230-*		PURE WHITE	4000	1200 lm	15° or 45°			
		LLC-EB3-1560230-*		COOL WHITE	6000	1275 lm	15° or 45°			
Picture and size		SERIES-B 4head (Remark: Please complete part.nr. With * of beam angle)								
 240 x 240 x 57 (mm)		Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
		LLC-EB4-2027230-*	LxW = 205 x 195 (mm)	WARM WHITE	2700	1540 lm	15° or 45°	100-240 VAC	20W	€ 96,00
		LLC-EB4-2040230-*		PURE WHITE	4000	1600 lm	15° or 45°			
		LLC-EB4-2060230-*		COOL WHITE	6000	1700 lm	15° or 45°			
SERIES-A										
Picture and size		SERIES-A 1head (Remark: Please complete part.nr. With * of beam angle)								
 Φ75 x 46.5 (mm)		Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
		LLC-DA1-327230-*	Φ62 (mm)	WARM WHITE	2700	170 lm	10°~60°	100-240 VAC	3W	€ 29,00
		LLC-DA1-340230-*		PURE WHITE	4000	180 lm				
		LLC-DA1-360230-*		COOL WHITE	6000	190 lm				
Picture and size		SERIES-A 2head (Remark: Please complete part.nr. With * of beam angle)								
 200 x 100 x 46.5 (mm)		Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
		LLC-DA2-627230-*	LxW = 158 x 70 (mm)	WARM WHITE	2700	310 lm	10°~60°	100-240 VAC	6W	€ 44,00
		LLC-DA2-640230-*		PURE WHITE	4000	320 lm				
		LLC-DA2-660230-*		COOL WHITE	6000	330 lm				
Picture and size		SERIES-A 3head (Remark: Please complete part.nr. With * of beam angle)								
 300 x 100 x 46.5 (mm)		Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
		LLC-DA3-927230-*	LxW = 258 x 70 (mm)	WARM WHITE	2700	470 lm	10°~60°	100-240 VAC	9W	€ 64,00
		LLC-DA3-940230-*		PURE WHITE	4000	480 lm				
		LLC-DA3-960230-*		COOL WHITE	6000	490 lm				
Picture and size		SERIES-A 4head (Remark: Please complete part.nr. With * of beam angle)								
 200 x 200 x 46.5 (mm)		Part number	CUT SIZE	COLOR	C.T. (K)	LUMEN	BEAM ANGLE	INPUT (V)	POWER (W)	€/pcs
		LLC-DA4-1227230-*	LxW = 158 x 170 (mm)	WARM WHITE	2700	1540 lm	10°~60°	100-240 VAC	12W	€ 92,00
		LLC-DA4-1240230-*		PURE WHITE	4000	1600 lm				
		LLC-DA4-1260230-*		COOL WHITE	6000	1700 lm				

SERIES-B

SERIES-B 1head (Remark: Please complete part.nr. With * of beam angle)									
Picture and size	Part number	CUT SIZE	COLOR	C.T.	LUMEN	BEAM ANGLE	INPUT	POWER	€/pcs
				(K)			(V)	(W)	
 Φ92 x 89 (mm)	LLC-DB1-927230-*	Φ62 (mm)	WARM WHITE	2700	770 lm	10° or 60°	100-240 VAC	9W	€ 54,00
	LLC-DB1-940230-*		PURE WHITE	4000	780 lm				
	LLC-DB1-960230-*		COOL WHITE	6000	800 lm				
SERIES-B 2head (Remark: Please complete part.nr. With * of beam angle)									
Picture and size	Part number	CUT SIZE	COLOR	C.T.	LUMEN	BEAM ANGLE	INPUT	POWER	€/pcs
				(K)			(V)	(W)	
 244 x 122 x 89 (mm)	LLC-DB2-1827230-*	LxW = 192 x 90 (mm)	WARM WHITE	2700	1520 lm	10° or 60°	100-240 VAC	18W	€ 87,00
	LLC-DB2-1840230-*		PURE WHITE	4000	1540 lm				
	LLC-DB2-1860230-*		COOL WHITE	6000	1560 lm				
SERIES-B 3head (Remark: Please complete part.nr. With * of beam angle)									
Picture and size	Part number	CUT SIZE	COLOR	C.T.	LUMEN	BEAM ANGLE	INPUT	POWER	€/pcs
				(K)			(V)	(W)	
 360 x 122 x 89 (mm)	LLC-DB3-2727230-*	LxW = 308 x 90 (mm)	WARM WHITE	2700	2280 lm	10° or 60°	100-240 VAC	27W	€ 108,00
	LLC-DB3-2740230-*		PURE WHITE	4000	2310 lm				
	LLC-DB3-2760230-*		COOL WHITE	6000	2340 lm				
SERIES-B 4head (Remark: Please complete part.nr. With * of beam angle)									
Picture and size	Part number	CUT SIZE	COLOR	C.T.	LUMEN	BEAM ANGLE	INPUT	POWER	€/pcs
				(K)			(V)	(W)	
 240 x 240 x 89 (mm)	LLC-DB4-3627230-*	LxW = 205 x 195 (mm)	WARM WHITE	2700	3050 lm	10° or 60°	100-240 VAC	36W	€ 133,00
	LLC-DB4-3640230-*		PURE WHITE	4000	3080 lm				
	LLC-DB4-3660230-*		COOL WHITE	6000	3120 lm				