



Led Plug Light Series LLC-P05-03



E27



G24/G23
(2pins 4pins)

8W



Features

- 360 degree beam angle, 100lm/W.
- Holder option: E27, G23, G24 (2pins/4pins).
- AC100-300V.
- PF > 0.9, CRI > 80.
- Perfect heat dissipation design.

Product details



Advantages

1 SMD3014 100lm/w

2 360 degree beam angle

3 Perfect heat dissipation


4 Replace CFL

The diagram illustrates four key advantages of the LED bulb. Advantage 1 shows a close-up of the SMD3014 LED chip with a luminous efficacy of 100lm/w. Advantage 2 shows the bulb emitting light in all directions, indicated by a blue arrow forming a circle around the bulb. Advantage 3 shows the bulb's heat sink with blue arrows pointing outwards, signifying efficient heat dissipation. Advantage 4 shows the LED bulb being swapped with a CFL bulb, indicating it is a direct replacement.

Application



Specifications



Model	P05-8W-03		
Rated Power	8W	LED Quantity	68LEDS
Input Voltage	AC100~300V	Power factor	≥0.9
CCT	3000K-6500K	E27(LxW) Dimension	154.5x95.5x45mm
Lumen	630lm±100lm	G24(LxW) Dimension	164.5x95.5x45mm
CRI	≥80	N.W	0.1kg

Installation




Installation



Rated Power	Box Size
8W	50x50x175mm

Rated Power	CTN Size	Gross Weight Per CTN
8W	270x270x375mm	7.1kg

8W



Pack Quantity:
50PCS

